

#### **Pallet Data Sheet**

#### **WDV: Standard UK Pallet**

1200x1000

- . The official Pallet for the UK
- . Grade 1
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet

The standard bearer for Pallets used throughout UK Industry. A food grade pallet.



Size	1200 x 1000mm		
Height	90mm		
Style	Long board or Short Board		
Deck	Open		
Colour	Tan/Beige		
Weight (kg)	24		
Loading: Dynamic (kg)	1000		
Loading: Static (kg)	1500		
Loading: Racking (kg)	Suitable	Suitable	
Material	Sawn Lumber		
Delivery	1 day		
No in 3.4m Stack	Approx 15 -18		
Full Trailer Load	480		
Options:	Available with lips	Yes	
	Available without lips	No	
	Available as Non Perimeter Pallet	yes	
	Available in other colours	No	
	Clip on runners available	No	
	Can be printed with your Company ID	No	

**Notes:** Available as Heavy, Medium and Lightweight duty pallets with dynamic capacity of up to 1000kg, 750kg and 500kg respectively.

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

# WDV: Standard UK Pallet

1200x1000

- . The official Pallet for the UK
- . Grade 2
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet

The standard bearer for Pallets used throughout UK Industry. A Sturdy all purpose Pallet.



Size	1200 x 1000mm	
Height	90mm	
Style	Long board or Short Board	
Deck	Open	
Colour	Brown or Grey	
Weight (kg)	20	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1500	
Loading: Racking (kg)	Suitable	
Material	Sawn Lumber	
Delivery	1 day	
No in 3.4m Stack	Approx 15 -18	
Full Trailer Load	480	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	Yes
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	No
Notes: Available as Heavy Me	dium and Lightweight duty nallets with	

**Notes:** Available as Heavy, Medium and Lightweight duty pallets with dynamic capacity of up to 1000kg, 750kg and 500kg respectively.

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

# WDV: Standard UK Pallet

1200x1000

- . The official Pallet for the UK
- . Grade 3
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet

More weathered than grades 1 &2 but more popularly used.



Size	1200 x 1000mm	
Height	90mm	
Style	Long board or Short Board	
Deck	Open	
Colour	Weathered Grey	
Weight (kg)	18	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1500	
Loading: Racking (kg)	Suitable	
Material	Sawn Lumber	
Delivery	1 day	
No in 3.4m Stack	Approx 15 -18	
Full Trailer Load	480	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	Yes
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	No

**Notes:** Available as Heavy, Medium and Lightweight duty pallets with dynamic capacity of up to 1000kg, 750kg and 500kg respectively.

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### **WDV: Euro Pallet**

1200x800

- . Official European Epal Stamp
- . Food Grade
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet

A top quality specification Pallet used throughout Europe.



Size	1200 x 800mm	
Height	90mm	
Style	European Pallet Association Specification (	EPAL)
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	21	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1250	
Loading: Racking (kg)	Suitable	
Material	Fresh Sawn Timber	
Delivery	1 to 2 days	
No in 3.4m Stack	Approx 16 - 18	
Full Trailer Load	600	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	No
	Available in other colours	No
	Clip on runners available	Yes
	Can be printed with your Company ID	No
Notes: Available as unstamped	d Euro pallet	

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### **WDV: Euro Pallet**

1200 x 800

- . Official European Epal Stamp
- . Non Food Grade
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet

A top quality Pallet used throughout Europe



\$i-0	1000 × 000 × 000	
Size	1200 x 800mm	
Height	90mm	
Style	European Pallet Association Specification (	EPAL)
Deck	Open	
Colour	Weathered Grey	
Weight (kg)	21	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1250	
Loading: Racking (kg)	Suitable	
Material	Sawn Lumber	
Delivery	1 to 2 days	
No in 3.4m Stack	Approx 16 -18	
Full Trailer Load	600	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	No
	Available in other colours	No
	Clip on runners available	Yes
	Can be printed with your Company ID	No
Notes: Available as unstamped	Euro pallet	

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### **WDV: Dusseldorf Pallet**

800x600

- . Official
- . Food Grade
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet

A top quality specialist Pallet used throughout European Industry.



Ci	000:/00:00	
Size	800x600mm	
Height	90mm	
Style	3 legged - interlocking	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	16	
Loading: Dynamic (kg)	500	
Loading: Static (kg)	1000	
Loading: Racking (kg)	Suitable	
Material	Sawn Timber/ Metal Block	
Delivery	1 to 5 days	
No in 3.4m Stack	Approx 12-14	
Full Trailer Load	1700	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	No
	Available in other colours	No
	Clip on runners available	Yes
	Can be printed with your Company ID	Option Available
Notes		

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### WDV:

#### Strapped Legger Pallet

1200 x 1000

- . A convenient Low cost pallet
- . Single Grade
- . 4-Way Entry Pallet

Multi use pallet.



Size	1200 x 100mm	
Height	90mm	
Style	Long board	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	11	
Loading: Dynamic (kg)	500	
Loading: Static (kg)	750	
Loading: Racking (kg)	yes	
Material	Sawn Lumber	
Delivery	1 day	
No in 3.4m Stack	Approx 15 -18	
Full Trailer Load	440	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	Yes
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	No
Notes:		

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

# WDV: Light/ Medium Utility Pallet

- . Client specific dimensions
- . Graded 1-2
- . Light/Medium Duty Lift
- . 2 / 4 Way Entry Pallet

A multipurpose and highly versatile pallet.



Size	1200 x 900,1000, 1100, 1120	
Height	90mm	
Style	Deckboard	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	21	
Loading: Dynamic (kg)	500	
Loading: Static (kg)	750	
Loading: Racking (kg)	Stacking	
Material	Sawn Lumber	
Delivery	1 to 2 days	
No in 3.4m Stack	Approx 18	
Full Trailer Load	500	
Options:	Available with lips	Yes
	Available without lips	Yes
	Available as Non Perimeter Pallet	Yes
	Available in other colours	Yes
	Clip on runners available	Yes
	Can be printed with your Company ID	Yes
Notes:		

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

# WDV: Converter BlockPallet

#### 1200x1000

- . A Multiple Application Pallet
- . Graded 1-2
- . Heavy Duty 1 Tonne Lift
- . 2 or 4-Way Entry Pallet

This Pallet is widely used in the Plastics and Distribution Industries



Size	1200 x 1000mm	
Height	90mm	
Style	Long Board	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	20kg	
Loading: Dynamic (kg)	750	
Loading: Static (kg)	1250	
Loading: Racking (kg)	Stacking	
Material	Sawn Lumber	
Delivery	1 to 2 days	
No in 3.4m Stack	Approx 15 -17	
Full Trailer Load	500	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	No
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	No

**Notes:** Non Perimeter Base Pallet which can also be made to specification with a Perimeter Base.

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### **WDV: Winged Pallet**

1200x1000

- . A Pallet Used in the Glass and Electronics industry.
- . Grade 1-2
- . Heavy Duty 1 Tonne Lift
- . 4-Way Entry Pallet



Size	1200 x 1000mm	
Height	100mm	
Style	Short Board	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	21kg	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1500	
Loading: Racking (kg)	Not Suitable	
Material	Sawn Lumber	
Delivery	1 to 3 days	
No in 3.4m Stack	Approx 14 -17	
Full Trailer Load	430	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	Yes
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	No
Notes:		

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### WDV: CP1

1200x1000

. Used in Confectionary
Chemical Industry

- . Graded 1-2
- . Heavy Duty 1 Tonne Lift
- . 4 Way Entry

An Industry Specific Pallet.



Size	1200 x 1000mm	
Height	100mm	
Style	Long Board	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	20	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1500	
Loading: Racking (kg)	Stacking	
Material	Sawn Lumber	
Delivery	1 to 2 days	
No in 3.4m Stack	Approx 15 -17	
Full Trailer Load	500	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	No
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	Yes
Notes: Available with 9 or 8 Top	Boards.	

tel/fax: 01932 222474 email: info@woodventure.co.uk



#### **Pallet Data Sheet**

#### WDV: CP3

1140x1140

- . Used in Construction & Chemical Industry
- . Graded 1-2
- . Heavy Duty 1 Tonne Lift
- . 4 Way Entry

Used throughout UK Industry.



Size	1140 x 1140mm	
Height	100mm	
Style	Robust Block	
Deck	Open	
Colour	Tan/Beige	
Weight (kg)	23	
Loading: Dynamic (kg)	1000	
Loading: Static (kg)	1500	
Loading: Racking (kg)	Stacking	
Material	Sawn Lumber	
Delivery	1 to 4 days	
No in 3.4m Stack	Approx 14 -17	
Full Trailer Load	470	
Options:	Available with lips	Yes
	Available without lips	No
	Available as Non Perimeter Pallet	Yes
	Available in other colours	No
	Clip on runners available	No
	Can be printed with your Company ID	Yes
Notes: Available with 9 or 8 Top	Boards, Three Legger Base	

tel/fax: 01932 222474 email: info@woodventure.co.uk